-	17	((707/204).CCLS.) and (file or folder or page)adj (name or id or identifier) near4 (time or calender or schedul$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/03 17:43
-	7	(((707/204).CCLS.) and (file or folder or page)adj (name or id or identifier) near4 (time or calender or schedul$3)) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/03 17:43
-	166	((file or page or folder) adj (name or id or identifier or identification)) with ((updat$3 or synchroniz$3 or replica$4 or backup or (back$3 adj up)) adj4 (time or date or schedule))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 15:28
-	72	(((file or page or folder) adj (name or id or identifier or identification)) with ((updat$3 or synchroniz$3 or replica$4 or backup or (back$3 adj up)) adj4 (time or date or schedule))) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 16:23
-	8	(web adj (page or file or site or document)) with (updat$3 or replac$3 or overwrit$4) same (backup or (back adj up) or back-up) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 16:35
-	8	((web or html or WWW) with (page or file or site or document)) with (updat$3 or replac$3 or overwrit$4) same (backup or (back adj up) or back-up) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 16:36
-	8	((web or html or WWW) same (page or file or site or document)) with (updat$3 or replac$3 or overwrit$4) same (backup or (back adj up) or back-up) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 16:36
-	10	((web or html or WWW or internet) same (page or file or site or document)) with (updat$3 or replac$3 or overwrit$4) same (backup or (back adj up) or back-up) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 16:38
-	10	((web or html or WWW or internet) and (page or file or site or document)) with (updat$3 or replac$3 or overwrit$4) same (backup or (back adj up) or back-up) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 16:38
-	24	((web or html or WWW or internet) and (page or file or site or document)) same (updat$3 or replac$3 or overwrit$4) same (backup or (back adj up) or back-up) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 16:38
-	2	(Updat$3 or replac$3 or overwrit$4) with (web adj (page$1! or document or content or file$1!)) same (backup or back-up or (back$3 adj up)) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 14:52
-	7	(Updat$3 or replac$3 or overwrit$4) same (web adj (page$1! or document or content or file$1!)) same (backup or back-up or (back$3 adj up)) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 13:53
-	7	(Updat$3 or replac$3 or overwrit$4) same (web near4 (page$1! or document or content or file$1!)) same (backup or back-up or (back$3 adj up)) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 13:58
-	9	(Updat$3 or replac$3 or overwrit$4) same ((web or HTML or http or internet) near4 (page$1! or document or content or file$1!)) same (backup or back-up or (back$3 adj up)) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 13:53

-	3597	(Updat$3 or replac$3 or overwrit$4) with ((specif$3 or predetermin$3) adj (time or period or schedule)) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 13:59
-	6	(Updat$3 or replac$3 or overwrit$4) near4 (page or file or content or document) with ((specif$3 or predetermin$3) adj (time or period or schedule)) with (web or http or HTMl or WWW or internet) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 14:20
-	23	(Updat$3 or replac$3 or overwrit$4) near4 (page or file or content or document) with (((specif$3 or predetermin$3) adj time) or period$5 or schedule$5) with (web or http or HTMl or WWW or internet) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 14:51
-	102	(Updat$3 or replac$3 or overwrit$4) with (((specif$3 or predetermin$3) adj time) or period$5 or schedule$5) with (web or http or HTMl or WWW or internet) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 14:52
-	18	(Updat$3 or replac$3 or overwrit$4) with (((specif$3 or predetermin$3) adj time) or period$5 or schedule$5) with (web or http or HTMl or WWW or internet) and @ad<19990331 and (backup or back-up or (back$3 adj up))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 14:57
-	356	(Updat$3 or replac$3 or overwrit$4) adj6 ((home or web) adj (page or file or document or site)) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 14:58
-	13	(Updat$3 or replac$3 or overwrit$4) adj6 ((home or web) adj (page or file or document or site)) adj4 (time or period$5 or schedul$5) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 15:28
-	8	(Updat$3 or replac$3 or overwrit$4) adj6 ((home or web) adj (page or file or document or site)) same (backup or back-up or (stor$3 or archiv$3) near2 original) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 15:49
-	930	(Updat$3 or replac$3 or overwrit$4) with (page or file or document or site) same (backup or back-up or (stor$3 or archiv$3) near2 original) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 15:49
-	197	(Updat$3 or replac$3 or overwrit$4) with (page or file or document or site) same (backup or back-up or (stor$3 or archiv$3) near2 original) and @ad<19990331 and (web or HTML or HTTP or internet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 16:40
-	12	(Updat$3 or replac$3 or overwrit$4 or backup or back-up or (stor$3 or archiv$3)) with (page or file or document or site) same (time and date) near file and @ad<19990331 and (web or HTML or HTTP or internet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 16:03
-	1	(Updat$3 or replac$3 or overwrit$4 or backup or back-up or (stor$3 or archiv$3)) with (page or file or document or site) same (time and date) near (file adj name) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 16:06
-	28963	(Updat$3 or replac$3 or overwrit$4 or backup or back-up or (stor$3 or archiv$3)) same ((specified or predetermined or predefined) adj time) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 16:07
-	811	(Updat$3 or replac$3 or overwrit$4 or backup or back-up or (stor$3 or archiv$3)) adj data with ((specified or predetermined or predefined) adj time) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 16:07

-	62	(Updat$3) adj data with ((specified or predetermined or predefined) adj time) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 16:08
-	2	(Updat$3) adj data near ((specified or predetermined or predefined) adj time) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 16:09
-	2	(Updat$3 or backup$ or back-up$ or archiv$3) adj data near ((specified or predetermined or predefined) adj time) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 16:09
-	5	(Updat$3 or backup$ or back-up$ or archiv$3) adj (file or information or database or data) near ((specified or predetermined or predefined) adj time) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 16:11
-	57	(Updat$3 or backup$ or back-up$ or archiv$3 or stor$3) adj (file or information or database or data) near ((specified or predetermined or predefined or exact) adj time) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 16:13
-	30	(Updat$3 or backup$ or back-up$ or archiv$3 or stor$3 or replac$3) near (file or information or database or data) near ((specified or predetermined or predefined or exact) adj time) and retriev$3 and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 16:14
-	775	(Updat$3 or backup$ or back-up$ or archiv$3 or stor$3 or replac$3) near (file or information or database or data) near ((periodic$ or daily or regular$2 or schedul$) or ((specified or predetermined or predefined or exact) adj time)) and retriev$3 and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 16:15
-	325	(Updat$3 or backup$ or back-up$ or archiv$3 or stor$3 or replac$3) adj (file or information or database or data) near ((periodic$ or daily or regular$2 or schedul$) or ((specified or predetermined or predefined or exact) adj time)) and retriev$3 and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 16:15
-	169	(Updat$3) adj (file or information or database or data) near ((periodic$ or daily or regular$2 or schedul$) or ((specified or predetermined or predefined or exact) adj time)) and retriev$3 and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 16:19
-	11	retriev$3 same (Updat$3) adj (file or information or database or data) near ((periodic$ or daily or regular$2) or ((specified or predetermined or predefined or exact) adj time)) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 16:22
-	3	retriev$3 same (backup$ or back-up) adj (file or information or database or data) near ((periodic$ or daily or regular$2) or ((specified or predetermined or predefined or exact) adj time)) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 16:22
-	4	retriev$3 same (backup$ or back-up or archiv$3) adj (file or information or database or data) near ((periodic$ or daily or regular$2) or ((specified or predetermined or predefined or exact) adj time)) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 16:25
-	0	retriev$3 same updat$3 same (backup$ or back-up or archiv$3) adj (file or information or database or data) near ((periodic$ or daily or regular$2) or ((specified or predetermined or predefined or exact) adj time)) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 16:26

-	0	retriev$3 same updat$3 same (backup$ or back-up or archiv$3) near (file or information or database or data) near ((periodic$ or daily or regular$2) or ((specified or predetermined or predefined or exact) adj time)) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 16:26
-	4	retriev$3 same updat$3 same (backup$ or back-up or archiv$3) near (file or information or database or data) same ((periodic$ or daily or regular$2) or ((specified or predetermined or predefined or exact) adj time)) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 16:31
-	0	retriev$3 same updat$3 same (backup$ or back-up or archiv$3) same (file or information or database or data) same ((periodic$ or daily or regular$2) or ((specified or predetermined or predefined or exact) adj time)) same (file adj name) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 16:31
-	7	retriev$3 same updat$3 same (backup$ or back-up or archiv$3) same (file or information or database or data) same ((periodic$ or daily or regular$2) or ((specified or predetermined or predefined or exact) adj time)) and (file adj name) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 16:31
-	9	(Updat$3 or replac$3 or overwrit$4) with ((web or HTML or HTTP or internet) adj (page or file or document or site)) same (backup or back-up or (stor$3 or archiv$3) near2 original) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 16:45
-	103	(Updat$3 or replac$3 or overwrit$4) with ((web or HTML or HTTP or internet) adj (page or file or document or site)) and (backup or back-up or (stor$3 or archiv$3) near2 original) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 16:46
-	84	(Updat$3 or replac$3 or overwrit$4) with ((web or HTML or HTTP or internet) adj (page or file or document or site)) and (backup or back-up or (stor$3 or archiv$3 or maintain$3 or sav$3 or stor$3) near4 (original adj (data or copy or document or page or file or content))) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 16:48
-	84	(Updat$3 or replac$3 or overwrit$4) with ((web or HTML or HTTP or internet) adj (page or file or document or site)) and ((backup or back-up or (stor$3 or archiv$3 or maintain$3 or sav$3 or stor$3) near4 (original adj (data or copy or document or page or file or content)))) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 16:49
-	22	(Updat$3 or replac$3 or overwrit$4) with ((web or HTML or HTTP or internet) adj (page or file or document or site)) and (((backup or back-up or (stor$3 or archiv$3 or maintain$3 or sav$3 or stor$3)) near4 (original adj (data or copy or document or page or file or content)))) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 17:13
-	3	(Updat$3 or replac$3 or overwrit$4) with ((web or HTML or HTTP or internet)) same (((backup or back-up or (stor$3 or archiv$3 or maintain$3 or sav$3 or stor$3)) near4 (original adj (data or copy or document or page or file or content)))) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 17:15
-	320	(Updat$3 or replac$3 or overwrit$4) same (((backup or back-up or (stor$3 or archiv$3 or maintain$3 or sav$3 or stor$3)) near4 (original adj (data or copy or document or page or file or content)))) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 17:56

-	205	(Updat$3 or replac$3 or overwrit$4) with (((backup or back-up or (stor$3 or archiv$3 or maintain$3 or sav$3 or stor$3)) near4 (original adj (data or copy or document or page or file or content)))) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 17:54
-	2	(Updat$3 or replac$3 or overwrit$4 or chang$3 or modif$3) adj6 ((web adj (data or copy or document or page or file or content)) adj5 (((specif$3 or predetermin$3) adj time) or period$5 or schedul$5)) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 18:00
-	2	(Updat$3 or replac$3 or overwrit$4 or chang$3 or modif$3) adj6 (((web or html or http or internet) adj (data or copy or document or page or file or content)) adj5 (((specif$3 or predetermin$3) adj time) or period$5 or schedul$5)) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 18:01
-	11	(Updat$3 or replac$3 or overwrit$4 or chang$3 or modif$3) near5 (((web or html or http or internet) adj (data or copy or document or page or file or content)) adj5 (((specif$3 or predetermin$3) adj time) or period$5 or schedul$5)) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 18:20
-	2	("6266784").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 18:59
-	10	"6321251"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 19:33
-	0	retriev$3 adj3 (duplicat$3 or backup or original) adj (copy or page or file or document or content) and @ad<10000331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 19:35
-	0	(retriev$3 or request$3 or query or command$3) adj3 (duplicat$3 or backup or original) adj (copy or page or file or document or content) and @ad<10000331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 19:35
-	0	(retriev$3 or request$3 or query or command$3) near4 (duplicat$3 or backup or original) adj (copy or page or file or document or content) and @ad<10000331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 19:36
-	0	(retriev$3 or request$3 or query or command$3) near4 (duplicat$3 or backup or original) adj3 (copy or page or file or document or content) and @ad<10000331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 19:36
-	589	(retriev$3 or request$3 or query or command$3) near4 (duplicat$3 or backup or original) adj3 (copy or page or file or document or content) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 19:37
-	476	(retriev$3 or request$3 or query or command$3) adj4 (duplicat$3 or backup or original) adj3 (copy or page or file or document or content) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 19:37
-	40	(retriev$3 or request$3 or query or command$3) adj4 (duplicat$3 or backup or original) adj3 (copy or page or file or document or content) same updat$3 and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 19:38

-	127	(updat$3 or replac$3 or overwrit$4) with ((web or home) adj (page or file or document or content)) with (period$3 or schedul$5 or time) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/04 13:15
-	55	(updat$3 or replac$3 or overwrit$4) adj6 ((web or home) adj (page or file or document or content)) with (period$3 or schedul$5 or time) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/04 13:49
-	23	(updat$3 or replac$3 or overwrit$4) adj6 ((web or home) adj (page or file or document or content)) with (period$3 or schedul$5 or (date with time)) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/04 14:16
-	895	(updat$3 or replac$3 or overwrit$4) adj4 ((specif$4 or predetermin$3) adj (time or schedule or period)) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/04 13:55
-	1	(updat$3 or replac$3 or overwrit$4) adj4 ((specif$4 or predetermin$3) adj (time or schedule or period)) with (WEb or html or HTTp) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/04 13:56
-	11	(updat$3 or replac$3 or overwrit$4) adj4 ((specif$4 or predetermin$3) adj (time or schedule or period)) same (WEb or html or HTTp) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/04 13:57
-	0	(updat$3 or replac$3 or overwrit$4) adj4 (network adj document$11) with ((specified adj time) or period$5 or schedul$5) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/04 14:19
-	0	(updat$3 or replac$3 or overwrit$4) adj7 (network adj document$11) with ((specified adj time) or period$5 or schedul$5) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/04 14:20
-	0	(updat$3 or replac$3 or overwrit$4) with (network adj document$11) with ((specified adj time) or period$5 or schedul$5) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/04 14:20
-	125	(updat$3 or replac$3 or overwrit$4) with (document$1) with ((specified adj time) or period$5 or schedul$5) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/04 14:20
-	137	(updat$3 or replac$3 or overwrit$4) with (document$11) with ((specified adj time) or period$5 or schedul$5) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/04 15:00
-	25	(updat$3 adj3 time) adj5 (web adj page)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/04 15:01
-	9	((updat$3 adj3 time) adj5 (web adj page)) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/04 15:41
-	3	(backup$3 or duplicat$3 or (back$3 adj up) or back-up) near5 (time with date) with ((file or page or document or content or URL) adj (name or id or identifier or identification)) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/04 15:43